

AS系列

單位:mm

規格	ID(內徑)	OD(外徑)	W(線徑)	規格	ID(內徑)	OD(外徑)	W(線徑)
AS568-001	0.74	2.78	1.02	AS568-045	101.32	104.88	1.78
AS568-002	1.07	3.61	1.27	AS568-046	107.62	111.18	1.78
AS568-003	1.42	4.48	1.53	AS568-047	114.02	117.58	1.78
AS568-004	1.78	5.34	1.78	AS568-048	120.37	123.93	1.78
AS568-005	2.57	6.13	1.78	AS568-049	126.72	130.28	1.78
AS568-006	2.9	6.46	1.78	AS568-050	133.07	136.63	1.78
AS568-007	3.69	7.25	1.78	AS568-102	1.24	6.48	2.62
AS568-008	4.47	8.03	1.78	AS568-103	2.05	7.29	2.62
AS568-009	5.29	8.85	1.78	AS568-104	2.84	8.08	2.62
AS568-010	6.07	9.63	1.78	AS568-105	3.63	8.87	2.62
AS568-011	7.65	11.21	1.78	AS568-106	4.42	9.66	2.62
AS568-012	9.25	12.81	1.78	AS568-107	5.23	10.47	2.62
AS568-013	10.82	14.38	1.78	AS568-108	6.02	11.26	2.62
AS568-014	12.42	15.98	1.78	AS568-109	7.6	12.84	2.62
AS568-015	14	17.56	1.78	AS568-110	9.19	14.43	2.62
AS568-016	15.06	19.16	1.78	AS568-111	10.77	16.01	2.62
AS568-017	17.17	20.73	1.78	AS568-112	12.37	17.61	2.62
AS568-018	18.77	22.33	1.78	AS568-113	13.95	19.19	2.62
AS568-019	20.35	23.91	1.78	AS568-114	15.54	20.78	2.62
AS568-020	21.95	25.51	1.78	AS568-115	17.12	22.36	2.62
AS568-021	23.52	27.08	1.78	AS568-116	18.72	23.96	2.62
AS568-022	25.12	28.68	1.78	AS568-117	20.29	25.53	2.62
AS568-023	26.7	30.26	1.78	AS568-118	21.9	27.14	2.62
AS568-024	28.3	31.86	1.78	AS568-119	23.47	28.71	2.62
AS568-025	29.87	33.43	1.78	AS568-120	25.07	30.31	2.62
AS568-026	31.47	35.03	1.78	AS568-121	26.65	31.89	2.62
AS568-027	33.05	36.61	1.78	AS568-122	28.25	33.49	2.62
AS568-028	34.65	38.21	1.78	AS568-123	29.82	35.06	2.62
AS568-029	37.82	41.38	1.78	AS568-124	31.42	36.66	2.62
AS568-030	41	44.56	1.78	AS568-125	32.99	38.23	2.62
AS568-031	44.17	47.73	1.78	AS568-126	34.6	39.84	2.62
AS568-032	47.35	50.91	1.78	AS568-127	36.17	41.41	2.62
AS568-033	50.52	54.08	1.78	AS568-128	37.77	43.01	2.62
AS568-034	53.7	57.26	1.78	AS568-129	39.35	44.59	2.62
AS568-035	56.87	60.43	1.78	AS568-130	40.95	46.19	2.62
AS568-036	60.04	63.6	1.78	AS568-131	42.52	47.76	2.62
AS568-037	63.22	66.78	1.78	AS568-132	44.12	49.36	2.62
AS568-038	66.4	69.96	1.78	AS568-133	45.7	50.94	2.62
AS568-039	69.57	73.13	1.78	AS568-134	47.3	52.54	2.62
AS568-040	72.57	76.31	1.78	AS568-135	48.9	54.14	2.62
AS568-041	75.92	79.48	1.78	AS568-136	50.47	55.71	2.62
AS568-042	82.27	85.83	1.78	AS568-137	52.07	57.31	2.62
AS568-043	88.62	92.18	1.78	AS568-138	53.65	58.89	2.62
AS568-044	94.97	98.53	1.78	AS568-139	55.25	60.49	2.62

AS系列

單位:mm

規格	ID(內徑)	OD(外徑)	W(線徑)	規格	ID(內徑)	OD(外徑)	W(線徑)
AS568-140	56.82	62.06	2.62	AS568-206	12.29	19.35	3.53
AS568-141	58.42	63.66	2.62	AS568-207	13.87	20.93	3.53
AS568-142	60	65.24	2.62	AS568-208	15.47	22.53	3.53
AS568-143	61.6	66.84	2.62	AS568-209	17.04	24.1	3.53
AS568-144	63.17	68.41	2.62	AS568-210	18.64	25.7	3.53
AS568-145	64.77	70.01	2.62	AS568-211	20.22	27.28	3.53
AS568-146	66.35	71.59	2.62	AS568-212	21.82	28.88	3.53
AS568-147	67.95	73.19	2.62	AS568-213	23.4	30.46	3.53
AS568-148	69.52	74.76	2.62	AS568-214	25	32.06	3.53
AS568-149	71.12	76.36	2.62	AS568-215	26.57	33.63	3.53
AS568-150	72.7	77.94	2.62	AS568-216	28.17	35.23	3.53
AS568-151	75.87	81.11	2.62	AS568-217	29.75	36.81	3.53
AS568-152	82.22	87.46	2.62	AS568-218	31.34	38.4	3.53
AS568-153	88.57	93.81	2.62	AS568-219	32.92	39.98	3.53
AS568-154	94.92	100.16	2.62	AS568-220	34.52	41.58	3.53
AS568-155	101.27	106.51	2.62	AS568-221	36.1	43.16	3.53
AS568-156	107.62	112.86	2.62	AS568-222	37.7	44.76	3.53
AS568-157	113.97	119.21	2.62	AS568-223	40.87	47.93	3.53
AS568-158	120.32	125.56	2.62	AS568-224	44.05	51.11	3.53
AS568-159	126.67	131.9	2.62	AS568-225	47.22	54.28	3.53
AS568-160	133.02	138.26	2.62	AS568-226	50.4	57.46	3.53
AS568-161	139.37	144.61	2.62	AS568-227	53.57	60.63	3.53
AS568-162	145.72	150.96	2.62	AS568-228	56.75	63.81	3.53
AS568-163	152.07	157.31	2.62	AS568-229	59.92	66.98	3.53
AS568-164	158.42	163.66	2.62	AS568-230	63.1	70.16	3.53
AS568-165	164.77	170.01	2.62	AS568-231	66.27	73.33	3.53
AS568-166	171.12	176.36	2.62	AS568-232	69.44	76.5	3.53
AS568-167	177.47	182.71	2.62	AS568-233	72.62	79.68	3.53
AS568-168	183.82	189.06	2.62	AS568-234	75.79	82.85	3.53
AS568-169	190.17	195.41	2.62	AS568-235	78.97	86.03	3.53
AS568-170	196.52	201.76	2.62	AS568-236	82.14	89.2	3.53
AS568-171	202.87	208.11	2.62	AS568-237	85.32	92.38	3.53
AS568-172	209.22	214.46	2.62	AS568-238	88.49	95.55	3.53
AS568-173	215.57	220.81	2.62	AS568-239	91.67	98.73	3.53
AS568-174	221.92	227.16	2.62	AS568-240	94.84	101.9	3.53
AS568-175	228.27	233.51	2.62	AS568-241	98.02	105.08	3.53
AS568-176	234.62	239.86	2.62	AS568-242	101.19	108.25	3.53
AS568-177	240.97	246.21	2.62	AS568-243	104.37	111.43	3.53
AS568-178	247.32	252.56	2.62	AS568-244	107.54	114.6	3.53
AS568-201	4.34	11.4	3.53	AS568-245	110.72	117.78	3.53
AS568-202	5.94	13	5.53	AS568-246	113.89	120.95	3.53
AS568-203	7.52	14.58	3.53	AS568-247	117.07	124.13	3.53
AS568-204	9.12	16.18	3.53	AS568-248	120.24	127.3	3.53
AS568-205	10.69	17.75	3.53	AS568-249	123.42	130.48	3.53

AS系列

單位:mm

規格	ID(內徑)	OD(外徑)	W(線徑)	規格	ID(內徑)	OD(外徑)	W(線徑)
AS568-250	126.59	133.65	3.53	AS568-318	24.77	35.43	5.33
AS568-251	129.77	136.83	3.53	AS568-319	26.34	37	5.33
AS568-252	132.94	140	3.53	AS568-320	27.94	38.6	5.33
AS568-253	136.12	143.18	3.53	AS568-321	29.51	40.17	5.33
AS568-254	139.3	146.36	3.53	AS568-322	31.12	41.78	5.33
AS568-255	142.47	149.53	3.53	AS568-323	32.69	43.35	5.33
AS568-256	145.65	152.71	3.53	AS568-324	34.29	44.95	5.33
AS568-257	148.82	155.88	3.53	AS568-325	37.47	48.13	5.33
AS568-258	152	159.06	3.53	AS568-326	40.65	51.31	5.33
AS568-259	158.35	165.41	3.53	AS568-327	43.82	54.48	5.33
AS568-260	164.7	171.76	3.53	AS568-328	46.99	57.65	5.33
AS568-261	171.05	178.11	3.53	AS568-329	50.16	60.82	5.33
AS568-262	177.4	184.46	3.53	AS568-330	53.34	64	5.33
AS568-263	183.75	190.81	3.53	AS568-331	56.52	67.18	5.33
AS568-264	190.1	197.16	3.53	AS568-332	59.69	70.35	5.33
AS568-265	196.45	203.51	3.53	AS568-333	62.87	73.53	5.33
AS568-266	202.8	209.86	3.53	AS568-334	66.04	76.7	5.33
AS568-267	209.15	216.21	3.53	AS568-335	69.22	79.88	5.33
AS568-268	215.5	222.56	3.53	AS568-336	72.39	83.05	5.33
AS568-269	221.85	228.91	3.53	AS568-337	75.57	86.23	5.33
AS568-270	228.2	235.26	3.53	AS568-338	78.74	89.4	5.33
AS568-271	234.55	241.61	3.53	AS568-339	81.92	92.58	5.33
AS568-272	240.9	247.96	3.53	AS568-340	85.09	95.75	5.33
AS568-273	247.25	254.31	3.53	AS568-341	88.27	98.93	5.33
AS568-274	253.6	260.66	3.53	AS568-342	91.44	102.1	5.33
AS568-275	266.3	273.36	3.53	AS568-343	94.62	105.28	5.33
AS568-276	279	286.06	3.53	AS568-344	97.79	108.45	5.33
AS568-277	291.7	298.76	3.53	AS568-345	100.96	111.62	5.33
AS568-278	304.4	311.46	3.53	AS568-346	104.14	114.8	5.33
AS568-279	329.8	336.86	3.53	AS568-347	107.32	117.98	5.33
AS568-280	355.2	362.26	3.53	AS568-348	110.49	121.15	5.33
AS568-281	380.6	387.66	3.53	AS568-349	113.67	124.33	5.33
AS568-282	405.26	412.32	3.53	AS568-350	116.84	127.5	5.33
AS568-283	430.66	437.72	3.53	AS568-351	120.02	130.68	5.33
AS568-284	456.06	463.12	3.53	AS568-352	123.19	133.85	5.33
AS568-309	10.46	21.12	5.33	AS568-353	126.37	137.03	5.33
AS568-310	12.07	22.73	5.33	AS568-354	129.54	140.2	5.33
AS568-311	13.64	24.3	5.33	AS568-355	132.72	143.38	5.33
AS568-312	15.24	25.9	5.33	AS568-356	135.89	146.55	5.33
AS568-313	16.81	27.47	5.33	AS568-357	139.07	149.73	5.33
AS568-314	18.42	29.08	5.33	AS568-358	142.24	152.9	5.33
AS568-315	19.99	30.65	5.33	AS568-359	145.42	156.08	5.33
AS568-316	21.59	32.25	5.33	AS568-360	148.59	159.25	5.33
AS568-317	23.16	33.82	5.33	AS568-361	151.77	162.43	5.33

AS系列

單位:mm

規格	ID(內徑)	OD(外徑)	W(線徑)	規格	ID(內徑)	OD(外徑)	W(線徑)
AS-568-362	158.12	168.78	5.33	AS-568-435	145.42	159.4	6.99
AS-568-363	164.47	175.13	5.33	AS-568-436	148.59	162.57	6.99
AS-568-364	170.82	181.48	5.33	AS-568-437	151.77	165.75	6.99
AS-568-365	177.17	187.83	5.33	AS-568-438	158.12	172.1	6.99
AS-568-366	183.52	194.18	5.33	AS-568-439	164.47	178.45	6.99
AS-568-367	189.87	200.53	5.33	AS-568-440	170.82	184.8	6.99
AS-568-368	196.22	206.88	5.33	AS-568-441	177.17	191.15	6.99
AS-568-369	202.57	213.23	5.33	AS-568-442	183.52	197.5	6.99
AS-568-370	208.92	219.58	5.33	AS-568-443	189.87	203.85	6.99
AS-568-371	215.27	225.93	5.33	AS-568-444	196.22	210.2	6.99
AS-568-372	221.62	232.28	5.33	AS-568-445	202.57	216.55	6.99
AS-568-373	227.97	238.63	5.33	AS-568-446	215.27	229.25	6.99
AS-568-374	234.32	244.98	5.33	AS-568-447	227.97	241.95	6.99
AS-568-375	240.67	251.33	5.33	AS-568-448	240.67	254.65	6.99
AS-568-376	247.02	257.68	5.33	AS-568-449	253.37	267.35	6.99
AS-568-377	253.37	264.03	5.33	AS-568-450	266.07	280.05	6.99
AS-568-378	266.07	276.73	5.33	AS-568-451	278.77	292.75	6.99
AS-568-379	278.77	289.43	5.33	AS-568-452	291.47	305.45	6.99
AS-568-380	291.47	302.13	5.33	AS-568-453	304.17	318.15	6.99
AS-568-381	304.17	314.83	5.33	AS-568-454	316.87	330.85	6.99
AS-568-382	329.55	340.21	5.33	AS-568-455	329.57	343.55	6.99
AS-568-383	354.97	365.63	5.33	AS-568-456	342.27	356.25	6.99
AS-568-384	380.37	391.03	5.33	AS-568-457	354.97	368.95	6.99
AS-568-385	405.26	415.92	5.33	AS-568-458	367.67	381.65	6.99
AS-568-386	430.65	441.31	5.33	AS-568-459	380.37	394.35	6.99
AS-568-387	456.06	466.72	5.33	AS-568-460	393.07	407.05	6.99
AS-568-388	481.46	492.12	5.33	AS-568-461	405.26	419.24	6.99
AS-568-389	506.86	517.52	5.33	AS-568-462	417.96	431.94	6.99
AS-568-390	532.26	542.92	5.33	AS-568-463	430.66	444.64	6.99
AS-568-391	557.66	568.32	5.33	AS-568-464	443.36	457.34	6.99
AS-568-392	582.65	593.31	5.33	AS-568-465	456.06	470.04	6.99
AS-568-393	608.1	618.76	5.33	AS-568-466	468.76	482.74	6.99
AS-568-394	633.5	644.16	5.33	AS-568-467	481.46	495.44	6.99
AS-568-395	658.85	669.51	5.33	AS-568-468	494.16	508.14	6.99
AS-568-425	113.67	127.65	6.99	AS-568-469	506.86	520.84	6.99
AS-568-426	116.84	130.82	6.99	AS-568-470	532.26	546.24	6.99
AS-568-427	120.02	134	6.99	AS-568-471	557.66	571.64	6.99
AS-568-428	123.19	137.17	6.99	AS-568-472	582.65	596.63	6.99
AS-568-429	126.37	140.35	6.99	AS-568-473	608.1	622.08	6.99
AS-568-430	129.54	143.52	6.99	AS-568-474	633.5	647.48	6.99
AS-568-431	132.72	146.7	6.99	AS-568-475	658.85	672.83	6.99
AS-568-432	135.89	149.87	6.99				
AS-568-433	139.07	153.05	6.99				
AS-568-434	142.24	156.22	6.99				

AS系列

單位:mm

[illegible]

P系列

單位:mm

規格	ID(內徑)	OD(外徑)	W(線徑)	規格	ID(內徑)	OD(外徑)	W(線徑)
P-002	1.8	5.6	1.9	P-042	41.7	48.7	3.5
P-003	2.8	6.6	1.9	P-044	43.7	50.7	3.5
P-004	3.8	7.6	1.9	P-045	44.7	51.7	3.5
P-005	4.8	8.6	1.9	P-046	45.7	52.7	3.5
P-006	5.8	9.6	1.9	P-048	47.7	54.7	3.5
P-007	6.8	10.6	1.9	P-049	48.7	55.7	3.5
P-008	7.8	11.6	1.9	P-050	49.7	56.7	3.5
P-009	8.8	12.6	1.9	P-047A	46.6	58	5.7
P-010	9.8	13.6	1.9	P-048A	47.6	59	5.7
P-010A	9.8	14.6	2.4	P-050A	49.6	61	5.7
P-011	10.8	15.6	2.4	P-052	51.6	63	5.7
P-011.2	11	15.8	2.4	P-053	52.6	64	5.7
P-012	11.8	16.6	2.4	P-055	54.6	66	5.7
P-012.5	12.3	17.1	2.4	P-056	55.6	67	5.7
P-014	13.8	18.6	2.4	P-058	57.6	69	5.7
P-015	14.8	19.6	2.4	P-060	59.6	71	5.7
P-016	15.8	20.6	2.4	P-062	61.6	73	5.7
P-017	16.8	21.6	2.4	P-063	62.6	74	5.7
P-018	17.8	22.6	2.4	P-065	64.6	76	5.7
P-019	18.8	23.6	2.4	P-067	66.6	78	5.7
P-020	19.8	24.6	2.4	P-070	69.6	81	5.7
P-021	20.8	25.6	2.4	P-071	70.6	82	5.7
P-022	21.8	26.6	2.4	P-075	74.6	86	5.7
P-022A	21.7	28.7	3.5	P-080	79.6	91	5.7
P-022.4	22.1	29.1	3.5	P-085	84.6	96	5.7
P-024	23.7	30.7	3.5	P-090	89.6	101	5.7
P-025	24.7	31.7	3.5	P-095	94.6	106	5.7
P-025.5	25.2	32.2	3.5	P-100	99.6	111	5.7
P-026	25.7	32.7	3.5	P-102	101.6	113	5.7
P-028	27.7	34.7	3.5	P-105	104.6	116	5.7
P-029	28.7	35.7	3.5	P-110	109.6	121	5.7
P-029.5	29.2	36.2	3.5	P-112	111.6	123	5.7
P-030	29.7	36.7	3.5	P-115	114.6	126	5.7
P-031	30.7	37.7	3.5	P-120	119.6	131	5.7
P-031.5	31.2	38.2	3.5	P-125	124.6	136	5.7
P-032	31.7	38.7	3.5	P-130	129.6	141	5.7
P-034	33.7	40.7	3.5	P-132	131.6	143	5.7
P-035	34.7	41.7	3.5	P-135	134.6	146	5.7
P-035.5	35.2	42.2	3.5	P-140	139.6	151	5.7
P-036	35.7	42.7	3.5	P-145	144.6	156	5.7
P-038	37.7	44.7	3.5	P-150	149.6	166.3	8.4
P-039	38.7	45.7	3.5	P-150A	149.5	166.3	8.4
P-040	39.7	46.7	3.5	P-155	154.5	171.3	8.4
P-041	40.7	47.7	3.5	P-160	159.5	176.3	8.4

P系列

單位:mm

規格	ID(內徑)	OD(外徑)	W(線徑)	規格	ID(內徑)	OD(外徑)	W(線徑)
P-165	164.5	181.3	8.4	P-400	399.5	416.3	8.4
P-170	169.5	186.3	8.4	P-405	404.5	421.3	8.4
P-175	174.5	191.3	8.4	P-410	409.5	426.3	8.4
P-180	179.5	196.3	8.4	P-415	414.5	430.3	8.4
P-185	184.5	201.3	8.4	P-420	419.5	426.3	8.4
P-190	189.5	206.3	8.4	P-425	424.5	441.3	8.4
P-195	194.5	211.3	8.4	P-430	429.5	446.3	8.4
P-200	199.5	216.3	8.4	P-435	434.5	451.3	8.4
P-205	204.5	221.3	8.4	P-440	439.5	456.3	8.4
P-209	208.5	225.3	8.4	P-445	444.5	461.3	8.4
P-210	209.5	226.3	8.4	P-450	449.5	466.3	8.4
P-215	214.5	231.3	8.4	P-455	454.5	471.3	8.4
P-220	219.5	236.3	8.4	P-460	459.5	476.3	8.4
P-225	224.5	241.3	8.4	P-465	464.5	481.3	8.4
P-230	229.5	246.3	8.4	P-470	469.5	486.3	8.4
P-235	234.5	251.3	8.4	P-475	474.5	491.3	8.4
P-240	239.5	256.3	8.4	P-480	479.5	496.3	8.4
P-245	244.5	261.3	8.4	P-485	484.5	501.3	8.4
P-250	249.5	266.3	8.4	P-490	489.5	506.3	8.4
P-255	254.5	271.3	8.4	P-495	494.5	511.3	8.4
P-260	259.5	276.3	8.4	P-500	499.5	516.3	8.4
P-265	264.5	281.3	8.4	P-505	504.5	521.3	8.4
P-270	269.5	286.3	8.4	P-510	509.5	526.3	8.4
P-275	274.5	291.3	8.4	P-515	514.5	531.3	8.4
P-280	279.5	296.3	8.4	P-520	519.5	536.3	8.4
P-285	284.5	301.3	8.4	P-525	524.5	541.3	8.4
P-290	289.5	306.3	8.4	P-530	529.5	546.3	8.4
P-295	294.5	311.3	8.4	P-535	534.5	551.3	8.4
P-310	309.5	326.3	8.4	P-540	539.5	556.3	8.4
P-315	314.5	331.3	8.4	P-545	544.5	561.3	8.4
P-320	319.5	336.3	8.4	P-550	549.5	566.3	8.4
P-325	324.5	341.3	8.4	P-555	554.5	571.3	8.4
P-330	329.5	346.3	8.4	P-560	559.5	576.3	8.4
P-335	334.5	351.3	8.4	P-565	564.5	581.3	8.4
P-340	339.5	356.3	8.4	P-570	569.5	586.3	8.4
P-345	344.5	361.3	8.4	P-575	574.5	591.3	8.4
P-350	349.5	366.3	8.4	P-580	579.5	596.3	8.4
P-355	354.5	371.3	8.4	P-585	584.5	601.3	8.4
P-360	359.5	376.3	8.4	P-590	589.5	606.3	8.4
P-365	364.5	381.3	8.4	P-595	594.5	611.3	8.4
P-370	369.5	386.3	8.4	P-600	599.5	616.3	8.4
P-375	374.5	391.3	8.4	P-630	629.5	646.3	8.4
P-380	379.5	396.3	8.4				
P-385	384.5	401.3	8.4				

G系列

單位:mm

規格	ID(內徑)	OD(外徑)	W(線徑)	規格	ID(內徑)	OD(外徑)	W(線徑)
G-025	24.4	30.6	3.1	G-200	199.3	210.7	5.7
G-030	29.4	35.6	3.1	G-210	209.3	220.7	5.7
G-035	34.4	40.6	3.1	G-215	214.3	225.7	5.7
G-040	39.4	45.6	3.1	G-220	219.3	230.7	5.7
G-042	41.4	47.6	3.1	G-225	224.3	235.7	5.7
G-045	44.4	50.6	3.1	G-230	229.3	240.7	5.7
G-050	49.4	55.6	3.1	G-235	234.3	245.7	5.7
G-052	51.4	57.6	3.1	G-240	239.3	250.7	5.7
G-055	54.4	60.6	3.1	G-245	244.3	255.7	5.7
G-058	57.4	63.6	3.1	G-250	249.3	260.7	5.7
G-060	59.4	65.6	3.1	G-255	254.3	265.7	5.7
G-062	61.4	67.6	3.1	G-260	259.3	270.7	5.7
G-063	62.4	68.6	3.1	G-265	264.3	275.7	5.7
G-064	63.4	69.6	3.1	G-270	269.3	280.7	5.7
G-065	64.4	70.6	3.1	G-275	274.3	285.7	5.7
G-067	66.4	72.6	3.1	G-280	279.3	290.7	5.7
G-068	67.4	73.6	3.1	G-285	284.3	295.7	5.7
G-070	69.4	75.6	3.1	G-290	289.3	300.7	5.7
G-072	71.4	77.6	3.1	G-295	294.3	305.7	5.7
G-075	74.4	80.6	3.1	G-300	299.3	310.7	5.7
G-080	79.4	85.6	3.1	G-305	304.3	315.7	5.7
G-085	84.4	90.6	3.1	G-310	309.3	320.7	5.7
G-090	89.4	95.6	3.1	G-315	314.3	325.7	5.7
G-095	94.4	100.6	3.1	G-320	319.3	330.7	5.7
G-100	99.4	105.6	3.1	G-325	324.3	335.7	5.7
G-105	104.4	110.6	3.1	G-330	329.3	340.7	5.7
G-110	109.4	115.6	3.1	G-335	334.3	345.7	5.7
G-115	114.4	120.6	3.1	G-340	339.3	350.7	5.7
G-120	119.4	125.6	3.1	G-345	344.3	355.7	5.7
G-125	124.4	130.6	3.1	G-350	349.3	360.7	5.7
G-130	129.4	135.6	3.1	G-355	354.3	365.7	5.7
G-135	134.4	140.6	3.1	G-360	359.3	370.7	5.7
G-140	139.4	145.6	3.1	G-365	364.3	375.7	5.7
G-145	144.4	150.6	3.1	G-370	369.3	380.7	5.7
G-150	149.3	160.7	5.7	G-375	374.4	385.7	5.7
G-155	154.3	165.7	5.7	G-380	379.3	390.7	5.7
G-160	159.3	170.7	5.7	G-385	384.3	395.7	5.7
G-165	164.3	175.7	5.7	G-390	389.3	400.7	5.7
G-170	169.3	180.7	5.7	G-395	394.3	405.7	5.7
G-175	174.3	185.7	5.7	G-400	399.3	410.7	5.7
G-180	179.3	190.7	5.7	G-405	404.3	415.7	5.7
G-185	184.3	195.7	5.7	G-410	409.3	420.7	5.7
G-190	189.3	200.7	5.7	G-415	414.3	425.7	5.7
G-195	194.3	205.7	5.7	G-420	419.3	430.7	5.7

G系列

單位:mm

規格	ID(內徑)	OD(外徑)	W(線徑)	規格	ID(內徑)	OD(外徑)	W(線徑)
G-425	424.3	435.7	5.7	G-720	719.3	730.7	5.7
G-430	429.3	440.7	5.7	G-730	729.3	740.7	5.7
G-435	434.3	445.7	5.7	G-740	739.3	750.7	5.7
G-440	439.3	450.7	5.7	G-750	749.3	760.7	5.7
G-445	444.3	455.7	5.7	G-760	759.3	770.7	5.7
G-460	459.3	470.7	5.7	G-770	769.3	780.7	5.7
G-465	464.3	475.7	5.7	G-780	779.3	790.7	5.7
G-470	469.3	480.7	5.7	G-790	789.3	800.7	5.7
G-475	474.3	485.7	5.7	G-800	799.3	810.7	5.7
G-480	479.3	490.7	5.7	G-810	809.3	820.7	5.7
G-485	484.3	495.7	5.7	G-820	819.3	830.7	5.7
G-490	489.3	500.7	5.7	G-830	829.3	840.7	5.7
G-495	494.3	505.7	5.7	G-840	839.3	850.7	5.7
G-500	499.3	510.7	5.7	G-850	849.3	860.7	5.7
G-505	504.3	515.7	5.7	G-860	859.3	870.7	5.7
G-510	509.3	520.7	5.7	G-870	869.3	880.7	5.7
G-515	514.3	525.7	5.7	G-880	879.3	890.7	5.7
G-520	519.3	530.7	5.7	G-890	889.3	900.7	5.7
G-525	524.3	535.7	5.7	G-900	899.3	910.7	5.7
G-530	529.3	540.7	5.7	G-910	909.3	920.7	5.7
G-535	534.3	545.7	5.7	G-920	919.3	930.7	5.7
G-540	539.3	550.7	5.7	G-930	929.3	940.7	5.7
G-545	544.3	555.7	5.7	G-940	939.3	950.7	5.7
G-550	549.3	560.7	5.7	G-950	949.3	960.7	5.7
G-560	559.3	570.7	5.7	G-960	959.3	970.7	5.7
G-565	564.3	575.7	5.7	G-970	969.3	980.7	5.7
G-570	569.3	580.7	5.7	G-980	979.3	990.7	5.7
G-575	574.3	585.7	5.7	G-990	989.3	1000.7	5.7
G-580	579.3	590.7	5.7	G-1000	999.3	1010.7	5.7
G-585	584.3	595.7	5.7				
G-590	589.3	600.7	5.7				
G-595	594.3	605.7	5.7				
G-600	599.3	610.7	5.7				
G-610	609.3	620.7	5.7				
G-620	619.3	630.7	5.7				
G-630	629.3	640.7	5.7				
G-640	639.3	650.7	5.7				
G-650	649.3	660.7	5.7				
G-660	659.3	670.7	5.7				
G-670	669.3	680.7	5.7				
G-680	679.3	690.7	5.7				
G-690	689.3	700.7	5.7				
G-700	699.3	710.7	5.7				
G-710	709.3	720.7	5.7				

S系列

單位:mm

規格	ID(內徑)	OD(外徑)	W(線徑)	規格	ID(內徑)	OD(外徑)	W(線徑)
S-2	1.5	4.5	1.5	S-63	62.5	66.5	2
S-3	2.5	5.5	1.5	S-65	64.5	68.5	2
S-4	3.5	6.5	1.5	S-67	66.5	70.5	2
S-5	4.5	7.5	1.5	S-70	69.5	73.5	2
S-6	5.5	8.5	1.5	S-71	70.5	74.5	2
S-7	6.5	9.5	1.5	S-75	74.5	78.5	2
S-8	7.5	10.5	1.5	S-80	79.5	83.5	2
S-9	8.5	11.5	1.5	S-85	84.5	88.5	2
S-10	9.5	12.5	1.5	S-90	89.5	93.5	2
S-11.2	10.7	13.7	1.5	S-95	94.5	98.5	2
S-12	11.5	14.5	1.5	S-100	99.5	103.5	2
S-12.5	12	15	1.5	S-105	104.5	108.5	2
S-14	13.5	16.5	1.5	S-110	109.5	113.5	2
S-15	14.5	17.5	1.5	S-112	111.5	115.5	2
S-16	15.5	18.5	1.5	S-115	114.5	118.5	2
S-18	17.5	20.5	1.5	S-120	119.5	123.5	2
S-20	19.5	22.5	1.5	S-125	124.5	128.5	2
S-22	21.5	24.5	1.5	S-130	129.5	133.5	2
S-22	21.5	24.5	1.5	S-132	131.5	135.5	2
S-22.4	21.9	25.9	2	S-135	134.5	138.5	2
S-24	23.5	27.5	2	S-140	139.5	143.5	2
S-25	24.5	28.5	2	S-145	144.5	148.5	2
S-26	25.5	29.5	2	S-150	149.5	153.5	2
S-28	27.5	31.5	2	S-155	154.5	158.5	2
S-29	28.5	32.5	2	S-160	159.5	163.5	2
S-30	29.5	33.5	2	S-165	164.5	168.5	2
S-31.5	31	35	2	S-170	169.5	173.5	2
S-32	31.5	35.5	2	S-175	174.5	178.5	2
S-34	33.5	37.5	2	S-180	179.5	183.5	2
S-35	34.5	38.5	2	S-185	184.5	188.5	2
S-35.5	35	39	2	S-190	189.5	193.5	2
S-36	35.5	39.5	2	S-195	194.5	198.5	2
S-38	37.5	41.5	2	S-200	199.5	203.5	2
S-39	38.5	42.5	2	S-205	204.5	208.5	2
S-40	39.5	43.5	2	S-210	209.5	213.5	2
S-42	41.5	45.5	2	S-215	214.5	218.5	2
S-44	43.5	47.5	2	S-220	219.5	223.5	2
S-45	44.5	48.5	2	S-225	224.5	228.5	2
S-46	45.5	49.5	2	S-230	229.5	233.5	2
S-48	47.5	51.5	2	S-235	234.5	238.5	2
S-50	49.5	53.5	2	S-240	239.5	243.5	2
S-53	52.5	56.5	2	S-245	244.5	248.5	2
S-55	54.5	58.5	2	S-250	249.5	253.5	2
S-60	59.5	63.5	2	S-255	254.5	258.5	2

S系列

單位:mm

[illegible]